



Piranha® Mainline Thermoplastic Sewer Cleaning Hose

UEMSI/HTV #	HOSE COLOR	MAX OP. PRESSURE PSI	SIZE
UEMS500	Black	4000 PSI	1/2" x Lengths Up To 2500'
UEMP500	Green	4000 PSI	1/2" x Lengths Up To 2500'
UEMP5005	Red	5000 PSI	1/2" x Lengths Up To 1500'
UEMP550-400	Orange	2500 PSI	5/8" x 400'
UEMP550-500	Orange	2500 PSI	5/8" x 500'
UEMP550-600	Orange	2500 PSI	5/8" x 600'
UEMP5504-400	Black	4000 PSI	5/8" x 400'
UEMP5504-500	Black	4000 PSI	5/8" x 500'
UEMP5504-600	Black	4000 PSI	5/8" x 600'
UEMP225-400	Orange	2500 PSI	3/4" x 400'
UEMP225-500	Orange	2500 PSI	3/4" x 500'
UEMP225-600	Orange	2500 PSI	3/4" x 600'
UEMP225-800	Orange	2500 PSI	3/4" x 800'
UEMP230-400	Blue	3000 PSI	3/4" x 400'
UEMP230-500	Blue	3000 PSI	3/4" x 500'
UEMP230-600	Blue	3000 PSI	3/4" x 600'
UEMP230-800	Blue	3000 PSI	3/4" x 800'
UEMP625-300	Orange	2500 PSI	1" x 300'
UEMP625-400	Orange	2500 PSI	1" x 400'
UEMP625-500	Orange	2500 PSI	1" x 500'
UEMP625-600	Orange	2500 PSI	1" x 600'
UEMP625-700	Orange	2500 PSI	1" x 700'
UEMP625-800	Orange	2500 PSI	1" x 800'
UEMI625-900	Orange	2500 PSI	1 x 900'
UEMI625-1000	Orange	2500 PSI	1 x 1000'
UEMP630-400	Blue	3000 PSI	1" x 400'
UEMP630-500	Blue	3000 PSI	1" x 500'
UEMP630-600	Blue	3000 PSI	1" x 600'
UEMP630-700	Blue	3000 PSI	1" x 700'
UEMP630-800	Blue	3000 PSI	1" x 800'
UEMP925-100	Orange	2500 PSI	1 1/4" x 100'
UEMP925-200	Orange	2500 PSI	1 1/4" x 200'
UEMP925-300	Orange	2500 PSI	1 1/4" x 300'
UEMP925-350	Orange	2500 PSI	1 1/4" x 350'
UEMP925-400	Orange	2500 PSI	1 1/4" x 400'
UEMP925-500	Orange	2500 PSI	1 1/4" x 500'
UEMP925-600	Orange	2500 PSI	1 1/4" x 600'
UEMP925-700	Orange	2500 PSI	1 1/4" x 700'
UEMP925-800	Orange	2500 PSI	1 1/4" x 800'
UEMP925-900	Orange	2500 PSI	1 1/4" x 900'
UEMP925-1000	Orange	2500 PSI	1 1/4" x 1000'
UEMP950-100	Orange	2500 PSI	1 1/2" x 100'
UEMP950-200	Orange	2500 PSI	1 1/2" x 200'
UEMP950-300	Orange	2500 PSI	1 1/2" x 300'
UEMP950-400	Orange	2500 PSI	1 1/2" x 400'
UEMP950-500	Orange	2500 PSI	1 1/2" x 500'
UEMP950-570	Orange	2500 PSI	1 1/2" x 570'
UEMP950-600	Orange	2500 PSI	1 1/2" x 600'
UEMP950-650	Orange	2500 PSI	1 1/2" x 650'
UEMP950-700	Orange	2500 PSI	1 1/2" x 700'
UEMP950-750	Orange	2500 PSI	1 1/2" x 750'
UEMP950-800	Orange	2500 PSI	1 1/2" x 800'
UEMP950-900	Orange	2500 PSI	1 1/2" x 900'
UEMP950-1000	Orange	2500 PSI	1 1/2" x 1000'



UEMSI/HTV
PIPELINE HOSE & INSPECTION EQUIPMENT



Made in the USA.

2500 PSI

3000 PSI

Piranha® Lateral Hose



CAUTION

SEWER HOSE AND REPAIR FITTINGS

All sewer hose and repair fitting tools are manufactured to National Solid Waste Management Association standards. To protect against personal death or injury, inspect and repair the sewer hose per NSWMA standards. Made in the USA.

UEMSI/HTV #	HOSE COLOR	MAX OP. PRESSURE PSI	SIZE
UEMPH7125	Green	4000 PSI	1/8" x Lengths Up To 1000'
UEMPH8125	Red	5000 PSI	1/4" x Lengths Up To 1700'
UEMPH8375	Green	4000 PSI	3/8" x Lengths Up To 1000'
UEMPH8500	Blue	3000 PSI	1/2" x Lengths Up To 2500'
UEMPH5500	Green	4000 PSI	1/2" x Lengths Up To 1000'



4000 PSI



5000 PSI

United Environmental Manufacturing Supply, Inc. / Hose and Televising (UEMSI/HTV) manufactures and distributes products to inspect and maintain pipeline and sewer collection systems. These products if improperly used or not used for their intended purpose or used by untrained persons may cause injury or death. Caution is urged to avoid utilizing these products until you have read the product literature including directions on safe operation. United Environmental Manufacturing Supply, Inc. / Hose and Televising disclaims any liability due to improper use.

UEMSI/HTV

PIPELINE HOSE & INSPECTION EQUIPMENT

N57 W13330 Reichert Avenue

Menomonee Falls, Wisconsin 53051

Corporate Office: 877.389.9999 / 262.257.9999 Fax: 262.649.2205

Website: www.uemsihtv.com / E-mail: info@uemsihtv.com

Parker® Thermoplastic Mainline Sewer Cleaning Hose



CAUTION

SEWER HOSE AND REPAIR FITTINGS

All sewer hose and repair fitting tools are manufactured to National Solid Waste Management Association standards. To protect against personal death or injury, inspect and repair the sewer hose per NSWMA standards. Made in the USA.

UEMSI/HTV #	HOSE COLOR	MAX OP. PRESSURE PSI	SIZE
UEMI510-500	Green	4000 PSI	5/8" X 500'
UEMI225-400	Orange	2500 PSI	3/4" X 400'
UEMI225-500	Orange	2500 PSI	3/4" X 500'
UEMI225-600	Orange	2500 PSI	3/4" X 600'
UEMI225-800	Orange	2500 PSI	3/4" X 800'
UEMI230-400	Blue	3000 PSI	3/4" X 400'
UEMI230-500	Blue	3000 PSI	3/4" X 500'
UEMI230-600	Blue	3000 PSI	3/4" X 600'
UEMI230-800	Blue	3000 PSI	3/4" X 800'
UEMI625-400	Orange	2500 PSI	1" X 400'
UEMI625-500	Orange	2500 PSI	1" X 500'
UEMI625-600	Orange	2500 PSI	1" X 600'
UEMI625-700	Orange	2500 PSI	1" X 700'
UEMI625-800	Orange	2500 PSI	1" X 800'
UEMI630-400	Blue	3000 PSI	1" X 400'
UEMI630-500	Blue	3000 PSI	1" X 500'
UEMI630-600	Blue	3000 PSI	1" X 600'
UEMI630-700	Blue	3000 PSI	1" X 700'



2500 PSI



4000 PSI



3000 PSI

United Environmental Manufacturing Supply, Inc. / Hose and Televising (UEMSI/HTV) manufactures and distributes products to inspect and maintain pipeline and sewer collection systems. These products if improperly used or not used for their intended purpose or used by untrained persons may cause injury or death. Caution is urged to avoid utilizing these products until you have read the product literature including directions on safe operation. United Environmental Manufacturing Supply, Inc. / Hose and Televising disclaims any liability due to improper use.

UEMSI/HTV

PIPELINE HOSE & INSPECTION EQUIPMENT

N57 W13330 Reichert Avenue

Menomonee Falls, Wisconsin 53051

Corporate Office: 877.389.9999 / 262.257.9999 Fax: 262.649.2205

Website: www.uemsihtv.com / E-mail: info@uemsihtv.com

Eaton® Thermoplastic Mainline Sewer Cleaning Hose



CAUTION

SEWER HOSE AND REPAIR FITTINGS

All sewer hose and repair fitting tools are manufactured to National Solid Waste Management Association standards. To protect against personal death or injury, inspect and repair the sewer hose per NSWMA standards. Made in the USA.

UEMSI PART NUMBER	MAX OP. PRESSURE PSI	HOSE COLOR	SIZE
UEMA225-400	2500 PSI	Orange	3/4" X 400'
UEMA225-500	2500 PSI	Orange	3/4" X 500'
UEMA225-600	2500 PSI	Orange	3/4" X 600'
UEMA225-800	2500 PSI	Orange	3/4" X 800'
U46916A	3000 PSI	Blue	3/4" X 400'
U46916	3000 PSI	Blue	3/4" X 500'
U46916E	3000 PSI	Blue	3/4" X 600'
U43569	2500 PSI	Orange	1" X 400'
U43570	2500 PSI	Orange	1" X 500'
U43571	2500 PSI	Orange	1" X 600'
U46113	2500 PSI	Blue	1" x 500'
U46113C	3000 PSI	Blue	1" x 600'
U44109	2500 PSI	Orange	1 1/4" X 500'

UEMSI/HTV preaches proper practices for use, care and repair of high-pressure sewer cleaning hose.

Working with high pressure water and its components (nozzles, leader hose, cleaning hose, water pumps, skids and attachments) can produce the finest results in clearing a plugged lateral or sewer pipe, but caution must be used when working with such high pressures. When you think about the earlier practice of using spinning steel rods and cables or even pulling buckets through the pipe with winches, high-pressure water is a convenient way to accomplish this job.

People often overlook the condition of the sewer cleaning hose prior to each use, where the operator should be performing a constant inspection of the hose before and during each use. As an example, if an operator sees a tear in the outer jacket or exposed reinforcing braid, the hose should be repaired or replaced prior to the next use.

For more information on best practices in using high-pressure hose, contact UEMSI/HTV today, we would be more than glad to help advise you!

Sewer cleaning hose should only be pressurized underground, inside a manhole, catch basin or pipeline.



Right: An example of a hoses that should be immediately replaced.

United Environmental Manufacturing Supply, Inc. / Hose and Televising (UEMSI/HTV) manufactures and distributes products to inspect and maintain pipeline and sewer collection systems. These products if improperly used or not used for their intended purpose or used by untrained persons may cause injury or death. Caution is urged to avoid utilizing these products until you have read the product literature including directions on safe operation. United Environmental Manufacturing Supply, Inc. / Hose and Televising disclaims any liability due to improper use.

0217

UEMSI/HTV

PIPELINE HOSE & INSPECTION EQUIPMENT

N57 W13330 Reichert Avenue

Menomonee Falls, Wisconsin 53051

Corporate Office: 877.389.9999 / 262.257.9999 Fax: 262.649.2205

Website: www.uemsihtv.com / E-mail: info@uemsihtv.com